L Number	Hits	Search Text	DB	Time stamp
1	13	router near attribut$3	USPAT	2004/04/09 14:02
2	13	(router near attribut$3) and attribute	USPAT	2004/04/09 13:49
5	1	5509123.pn. and attribut$3	USPAT	2004/04/09 14:08
6	0	6269398.pn. and attribut$3	USPAT	2004/04/09 14:33
7	1	6438591.pn. and router same attribut$3	USPAT	2004/04/09 14:33
8	106	router with attribut$3	USPAT	2004/04/09 14:34
9	10	(router with attribut$3) and gui	USPAT	2004/04/09 14:36
10	1	6442144.pn. and attribut$3	USPAT	2004/04/09 14:35
11	10	((router with attribut$3) and gui) and attribut$3	USPAT	2004/04/09 14:36
-	5	manag$5 with configur$5 with network with devices.ti.	USPAT	2004/04/09 08:51
-	3	(manag$5 with configur$5 with network with devices.ti.) and command	USPAT	2002/12/30 11:53
-	1	5838907.pn. and compar$3	USPAT	2002/12/30 12:10
-	255	manag$5 with configur$5 with network with devices	USPAT	2002/12/30 12:57
-	18	(manag$5 with configur$5 with network with devices) and command adj sets	USPAT	2002/12/30 12:56
-	37	(manag$5 with configur$5 with network with devices) and policies	USPAT	2002/12/30 12:45
-	5	manag$5 with configur$5 with network with devices.ti.	USPAT	2004/04/08 17:00
-	1	5838907.pn. and compar$3	USPAT	2002/12/30 13:48
-	1	5838907.pn. and valid$4	USPAT	2002/12/30 14:52
-	1	5838907.pn. and rul$3	USPAT	2002/12/30 15:18
-	1	5838907.pn. and generat$3	USPAT	2002/12/30 15:22
-	68	network near devices.ti.	USPAT	2002/12/31 08:13
-	1	6170009.pn. and configur$5	USPAT	2002/12/31 08:14
-	11633	709/2$$.ccls.	USPAT	2002/12/31 08:15
-	344	709/2$$.ccls. and configur$5 same network near devices and types	USPAT	2002/12/31 08:17
-	154	709/2$$.ccls. and configur$5 same network near devices and different near types	USPAT	2002/12/31 08:18
-	45	709/2$$.ccls. and configur$5 near network near devices	USPAT	2002/12/31 08:20
-	1	709/2$$.ccls. and ((configur$5 near network near devices) with (different near types))	USPAT	2002/12/31 08:21
-	344	709/2$$.ccls. and (configur$5 same network near devices and types)	USPAT	2002/12/31 08:59
-	1	5838907.pn. and stor$3 with configuration	USPAT	2002/12/31 11:40
-	1	5838907.pn. and stor$3 and compar$3	USPAT	2002/12/31 11:30
-	1	5838907.pn. and stor$3 and compar$3 and entit$3	USPAT	2002/12/31 11:31
-	1	5838907.pn. and stor$3 with configuration with information	USPAT	2002/12/31 11:40
-	1	5838907.pn. and stor$3 same configuration same information same network near devices	USPAT	2002/12/31 13:23
-	1	5838907.pn. and construct$3 same configuration	USPAT	2002/12/31 13:29

C:\APPS\EAST\Workspaces\09540534.wsp

–	1	5838907.pn. and stor$3 with configur$6 with network near devices	USPAT	2002/12/31 13:47
–	1	5838907.pn. and stor$3 same configur$6 same rul$3	USPAT	2002/12/31 13:48
–	1	5838907.pn. and stor$3 with configur$5	USPAT	2002/12/31 14:00
–	1	5838907.pn. and rul$3 same configur$5	USPAT	2002/12/31 14:05
–	1	5838907.pn. and rul$3 same configur$5 same stor$3	USPAT	2002/12/31 14:01
–	1	5838907.pn. and retriev$3	USPAT	2003/01/02 10:06
–	1	5838907.pn. and retriev$3 same upload$3	USPAT	2003/01/02 10:07
–	1	5838907.pn. and (verif$7 check$3 compar$5)	USPAT	2003/01/02 09:01
–	1	5838907.pn. and (upload$3 same configuration)	USPAT	2003/01/02 09:49
–	1	5838907.pn. and compar$3	USPAT	2003/01/02 09:56
–	71	deploy$4 near information	USPAT	2003/01/02 09:59
–	229	configur$3 with network near devices	USPAT	2003/01/02 10:12
–	48	traffic with manag$5 with policy	USPAT	2003/01/02 10:07
–	1	5838907.pn. and rul$3	USPAT	2003/01/02 10:07
–	10	configur$3 with network near devices with polic$3	USPAT	2003/01/02 10:26
–	1	5675721.pn.	USPAT	2003/01/02 10:35
–	124	data near frames.ti.	USPAT	2003/01/02 10:43
–	14	(US-5881242-$ or US-5526488-$ or US-5560038-$ or US-5655140-$ or US-5832233-$ or US-5185862-$ or US-5276898-$ or US-6463478-$ or US-6016511-$ or US-6266702-$ or US-6330615-$ or US-6330616-$ or US-6334154-$ or US-6405258-$).did.	USPAT	2003/01/02 10:37
–	1	((US-5881242-$ or US-5526488-$ or US-5560038-$ or US-5655140-$ or US-5832233-$ or US-5185862-$ or US-5276898-$ or US-6463478-$ or US-6016511-$ or US-6266702-$ or US-6330615-$ or US-6330616-$ or US-6334154-$ or US-6405258-$).did.) and segment$5 and reassembly	USPAT	2003/01/02 10:38
–	274	data near frames and segment$5 and reassembly	USPAT	2003/01/02 10:44
–	54	(data near frames and segment$5 and reassembly) and 709/2$$.ccls.	USPAT	2003/01/02 10:46
–	4	((data near frames and segment$5 and reassembly) and 709/2$$.ccls.) and input near ports and output near ports	USPAT	2003/01/02 10:53
–	0	cluster and descriptor and recommendations.ti.	USPAT	2003/01/02 10:54
–	5	cluster and descriptor.ti.	USPAT	2003/01/02 10:54
–	0	(cluster and descriptor.ti.) and recommend$6	USPAT	2003/01/02 10:57
–	371	consolidat$5 near data	USPAT	2003/01/02 10:58
–	98	(consolidat$5 near data) and records and items	USPAT	2003/01/02 10:58
–	71	((consolidat$5 near data) and records and items) and value and group	USPAT	2003/01/02 11:04

-	13	(US-6496850-$ or US-6289382-$ or US-6332163-$ or US-6345288-$ or US-6385644-$ or US-6438594-$ or US-6477580-$ or US-5862325-$ or US-5850522-$ or US-5802368-$ or US-6088717-$ or US-6182121-$ or US-6061724-$).did.	USPAT	2003/01/02 11:04
-	71	((consolidat$5 near data) and records and items) and value and groups	USPAT	2003/01/02 11:04
-	229	router and interface.ti.	USPAT	2003/01/02 11:11
-	41	router and user near interface.ti.	USPAT	2003/01/02 11:15
-	2	router same hierarchical same user near interface	USPAT	2003/01/02 11:18
-	1	user near interface same (view$3 and modif$6 with router)	USPAT	2003/01/02 11:21
-	209	view$3 and modif$6 with router	USPAT	2003/01/02 11:27
-	25	(view$3 and modif$6 with router) and user near interface	USPAT	2003/01/02 11:22
-	13	view$3 with modif$6 with router	USPAT	2003/01/02 11:29
-	6	view$3 same modif$6 same router same interface	USPAT	2003/01/02 11:40
-	0	(5838907.pn. and (upload$3 same configuration)) and protocols and components	USPAT	2003/01/02 11:41
-	4	(view$3 same modif$6 same router same interface) and protocols and components	USPAT	2003/01/02 11:43
-	2	(US-6208640-$ or US-5550816-$).did.	USPAT	2003/01/02 11:43
-	2	((US-6208640-$ or US-5550816-$).did.) and command	USPAT	2003/01/02 11:48
-	18	configur$3 with router same real near1 time	USPAT	2003/01/02 11:49
-	3	(configur$3 with router same real near1 time) and GUI	USPAT	2003/01/02 12:18
-	456	ip near router	USPAT	2003/01/02 12:18
-	144	(ip near router) and user near interface	USPAT	2003/01/02 12:18
-	64	((ip near router) and user near interface) and 709/2$$.ccls.	USPAT	2003/01/02 12:34
-	0	interface adj component same view same modify same router	USPAT	2003/01/02 12:35
-	7	view same modify same router	USPAT	2003/01/02 12:44
-	378	modif$5 with router	USPAT	2003/01/02 12:39
-	108	(modif$5 with router) and real near1 time	USPAT	2003/01/02 12:40
-	23	((modif$5 with router) and real near1 time) and tree with router	USPAT	2003/01/02 12:40
-	254	modify same routers	USPAT	2003/01/02 12:44
-	10	modify same routers same (GUI or (user near interface))	USPAT	2003/01/02 13:05
-	87	router same GUI	USPAT	2003/01/02 12:55
-	211886	router$1 or routing or route$1	USPAT	2003/01/02 12:55
-	438303	GUI or display$3	USPAT	2003/01/02 12:56
-	1015	MIB or MIB-II or MIB-I	USPAT	2003/01/02 12:56
-	56001	(router$1 or routing or route$1) and (GUI or display$3)	USPAT	2003/01/02 12:56
-	456	((router$1 or routing or route$1) and (GUI or display$3)) and (MIB or MIB-II or MIB-I)	USPAT	2003/01/02 12:57

–	850922	edit$3 or modif$5	USPAT	2003/01/02 12:57
–	366	(((router$1 or routing or route$1) and (GUI or display$3)) and (MIB or MIB-II or MIB-I)) and (edit$3 or modif$5)	USPAT	2003/01/02 12:57
–	532	"366" and 709/$.ccls.	USPAT	2003/01/02 12:58
–	149	((((router$1 or routing or route$1) and (GUI or display$3)) and (MIB or MIB-II or MIB-I)) and (edit$3 or modif$5)) and 709/$.ccls.	USPAT	2003/01/02 12:59
–	149	time$1 and (((((router$1 or routing or route$1) and (GUI or display$3)) and (MIB or MIB-II or MIB-I)) and (edit$3 or modif$5)) and 709/$.ccls.)	USPAT	2003/01/02 12:59
–	101	(command$1 or cmd) and (time$1 and (((((router$1 or routing or route$1) and (GUI or display$3)) and (MIB or MIB-II or MIB-I)) and (edit$3 or modif$5)) and 709/$.ccls.))	USPAT	2003/01/02 13:00
–	78	router$1 and ((command$1 or cmd) and (time$1 and (((((router$1 or routing or route$1) and (GUI or display$3)) and (MIB or MIB-II or MIB-I)) and (edit$3 or modif$5)) and 709/$.ccls.)))	USPAT	2003/01/02 13:00
–	51	(graphical or graphic) and (router$1 and ((command$1 or cmd) and (time$1 and (((((router$1 or routing or route$1) and (GUI or display$3)) and (MIB or MIB-II or MIB-I)) and (edit$3 or modif$5)) and 709/$.ccls.))))	USPAT	2003/01/02 13:00
–	1	((graphical or graphic) and (router$1 and ((command$1 or cmd) and (time$1 and (((((router$1 or routing or route$1) and (GUI or display$3)) and (MIB or MIB-II or MIB-I)) and (edit$3 or modif$5)) and 709/$.ccls.))))) and router$1.ti.	USPAT	2003/01/02 14:38
–	3	((((router$1 or routing or route$1) and (GUI or display$3)) and (MIB or MIB-II or MIB-I)) and (edit$3 or modif$5)) and router$1.ti.	USPAT	2003/01/02 13:07
–	1	6269398.pn. and chang$3	USPAT	2003/01/02 14:47
–	1	6269398.pn. and router	USPAT	2003/01/02 15:04
–	1	6269398.pn. and process$3 same router	USPAT	2003/01/02 15:07
–	1	6269398.pn. and process$3 same router same protocols	USPAT	2003/01/02 15:21
–	1	6269398.pn. and router same command$3	USPAT	2003/01/02 15:22
–	1	6269398.pn. and router same command$3 same interface	USPAT	2003/01/02 15:28
–	1	6269398.pn. and router same updat$3	USPAT	2003/01/02 15:36
–	1	6269398.pn. and chang$3	USPAT	2003/01/03 10:13
–	1	6012098.pn. and memory	USPAT	2003/01/03 10:22
–	1	6269398.pn. and time	USPAT	2003/05/19 15:31
–	27	modif$7 with server with (real near time)	USPAT	2003/05/19 15:23
–	2	modif$7 with router with (real near time)	USPAT	2003/05/19 15:27
–	17	modif$7 same routers same (real near time)	USPAT	2003/05/19 15:27
–	1	(modif$7 same routers same (real near time)) and hierarchical	USPAT	2003/05/19 15:34
–	6	router same (hierarchical near tree)	USPAT	2003/05/19 15:36

C:\APPS\EAST\Workspaces\09540534.wsp

–	1	6459700.pn. and (time)	USPAT	2003/05/19 15:39
–	1	6396845.pn. and (time)	USPAT	2003/05/19 15:40
–	0	6396845.pn. and real near time	USPAT	2003/05/27 14:24
–	1	6269398.pn. and (modif$4 chang$3 edit$4)	USPAT	2003/05/27 14:27
–	0	6269398.pn. and real near time	USPAT	2003/05/27 14:29
–	1	6269398.pn. and monitor$3	USPAT	2003/05/27 14:31
–	1	6269398.pn. and time	USPAT	2003/05/27 15:53
–	1	6269398.pn. and telnet	USPAT	2003/05/27 15:53
–	1	6269398.pn. and (initial$5 restart$3)	USPAT	2003/05/28 09:14
–	2355	router with configur$7	USPAT	2004/04/07 13:53
–	8	(router with configur$7).ti.	USPAT	2004/04/07 13:46
–	1	6490256.pn. and (conver$7 reformat$4 chang$3 java xml)	USPAT	2004/04/07 14:07
–	1	6421325.pn. and (conver$7 reformat$4 chang$3 java xml)	USPAT	2004/04/07 14:11
–	1	5907544.pn. and (conver$7 reformat$4 chang$3 java xml)	USPAT	2004/04/07 14:14
–	1	5907544.pn. and station with wireless	USPAT	2004/04/07 14:16
–	5291	wireless.ti.	USPAT	2004/04/07 14:17
–	127	wire-less	USPAT	2004/04/07 14:19
–	3	((wire-less wireless) adj2 (hub router switch)) and xml	USPAT	2004/04/07 14:23
–	108890	6445777.pn. hub	USPAT	2004/04/07 14:31
–	1	6445777.pn. and hub	USPAT	2004/04/07 14:40
–	0	((collabora$8 with (transla$8 near8 XML)) and wirele$6)	USPAT	2004/04/07 14:48
–	0	((collabora$8 with (transla$8 with XML)) and wirele$6)	USPAT	2004/04/08 08:54
–	2	((collabora$8 with XML) and wirele$6)	USPAT	2004/04/08 08:53
–	7	("6002915" | "6012037" | "6016478" | "6018343" | "6049801" | "6064977" | "6101480").PN.	USPAT	2004/04/07 14:50
–	5587	wireless near network	USPAT	2004/04/08 08:54
–	9063	wireless near2 (network lan)	USPAT	2004/04/08 08:54
–	5	(wireless near2 (network lan)) and ((collabora$8 with (transla$8 conver$8 2$format$4)) and wirele$6)	USPAT	2004/04/08 10:22
–	241	mib and gui	USPAT	2004/04/08 10:23
–	37	(mib and gui) and router with configur$7	USPAT	2004/04/08 10:45
–	19	((mib and gui) and router with configur$7) and tree	USPAT	2004/04/08 10:27
–	2355	router with configur$7	USPAT	2004/04/08 10:50
–	10	(router with configur$7) same gui	USPAT	2004/04/08 10:45
–	0	router with gui with tree	USPAT	2004/04/08 10:52
–	329	hierarchica$5 same display$3 same components	USPAT	2004/04/08 10:53
–	1	hierarchica$5 same display$3 same components same router	USPAT	2004/04/08 10:54

–	8	hierarchica$5 same display$3 same router	USPAT	2004/04/08 11:09
–	1	6321231.pn.	USPAT	2004/04/08 11:33
–	129	345/734,735,736.ccls.	USPAT	2004/04/08 11:36
–	46	345/734,735,736.ccls. and hierarch$7	USPAT	2004/04/08 15:05
–	261	router same hierarchical	USPAT	2004/04/08 15:05
–	19	(router same hierarchical) and gui	USPAT	2004/04/08 15:20
–	0	6269398.pn. and hierarchical	USPAT	2004/04/08 15:21
–	1	6269398.pn.	USPAT	2004/04/08 15:48
–	5	6269398.URPN.	USPAT	2004/04/08 15:22
–	1	6269398.pn. and ip	USPAT	2004/04/08 15:48
–	0	6269398.pn. and ip same client	USPAT	2004/04/08 15:49
–	1	6269398.pn. and ip same manager	USPAT	2004/04/08 15:50
–	1	6269398.pn. and protocol same manager	USPAT	2004/04/08 16:40
–	131	router with attribut$3	USPAT	2004/04/08 16:40
–	5	router with attribut$3 with tree	USPAT	2004/04/08 16:41
–	1124	cisco.as.	USPAT	2004/04/08 16:42
–	11	cisco.as. and router with hierarchical	USPAT	2004/04/08 16:45
–	15	cisco.as. and router with attribute$2	USPAT	2004/04/08 16:45
–	11	(cisco.as. and router with hierarchical) and hierarchical	USPAT	2004/04/08 16:46
–	5	(cisco.as. and router with attribute$2) and hierarchical	USPAT	2004/04/08 17:00
–	2641	router with (setup setting configur$7)	USPAT	2004/04/09 08:51
–	12	router with (setup setting configur$7) with (gui (user near interface))	USPAT	2004/04/09 09:00
–	135	router same (setup setting configur$7) same (gui (user near interface))	USPAT	2004/04/09 09:01
–	123	(router same (setup setting configur$7) same (gui (user near interface))) not (router with (setup setting configur$7) with (gui (user near interface)))	USPAT	2004/04/09 10:19
–	1	5819042.pn. and attribut$3	USPAT	2004/04/09 09:39
–	57	5819042.URPN.	USPAT	2004/04/09 09:43
–	1204	((user adj2 interface) or gui) and (configur$7 with (hierarch$7 tree))	USPAT	2004/04/09 10:44
–	44	((user adj2 interface) or gui) and (configur$7 with (hierarch$7 tree)) and (rout$3 near protocol$)	USPAT	2004/04/09 10:46
–	0	(((user adj2 interface) or gui) and (configur$7 with (hierarch$7 tree)) and (rout$3 near protocol$)) and 709/$$.ccls	USPAT	2004/04/09 10:22
–	21	(((user adj2 interface) or gui) and (configur$7 with (hierarch$7 tree)) and (rout$3 near protocol$)) and 709/$$.ccls.	USPAT	2004/04/09 10:23
–	338	((user adj2 interface) with (gui web$8)) and (configur$7 with (hierarch$7 tree))	USPAT	2004/04/09 10:45
–	10	((user adj2 interface) with (gui)) and (configur$7 with (hierarch$7 tree)) and (rout$3 near protocol$)	USPAT	2004/04/09 11:08
–	0	5509123.pn. and real near time	USPAT	2004/04/09 11:08

-	0	5509123.pn. and realtime	USPAT	2004/04/09 11:21
-	2	(real near1 time) same router same ((modif$7 chang$3) adj5 (configur$7 setting))	USPAT	2004/04/09 11:24
-	37296	gated	USPAT	2004/04/09 11:25
-	9546	gated and rout$3	USPAT	2004/04/09 11:25
-	2526	(gated and rout$3) and real near1 time	USPAT	2004/04/09 11:26
-	0	6269398.pn. and real near time	USPAT	2004/04/09 11:26
-	1	6269398.pn. and time	USPAT	2004/04/09 11:28
-	1	6269398.pn. and client same (telnet snmp)	USPAT	2004/04/09 11:29
-	1	6269398.pn. and client same (telnet snmp) same router	USPAT	2004/04/09 13:48

C:\APPS\EAST\Workspaces\09540534.wsp